

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"6594761".pn.	USPAT	OR	OFF	2009/12/08 15:26
S2	3	"20040103404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/08 15:38
S3	1	"10567948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/09 08:42
S4	6	("5123045" "5509070" "5659754" "5666411" "5748741" "5768596").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/14 15:58
S5	3	WO9901815	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:19
S6	1	"6668325".pn.	USPAT	OR	OFF	2009/12/14 16:22
S7	2865057	obfuscat\$3 near\$5 object near\$5 variable\$1 near\$10 arithmetic	USPAT	OR	OFF	2009/12/15 08:56
S8	2848509	obfuscat\$3 near\$5 object	USPAT	OR	OFF	2009/12/15 08:57
S9	0	obfuscat\$3 near\$5 object near\$5 variable\$1 near\$10 arithmetic	USPAT	OR	OFF	2009/12/15 08:58
S10	36	obfuscat\$3 near\$5 object	USPAT	OR	OFF	2009/12/15 08:59

S11	1	"6668325".pn.	USPAT	OR	OFF	2009/12/22 13:43
S12	3	"10185644"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 13:56
S13	1	"10567948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 15:05
S14	2	10/185,644	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 15:25
S15	0	"alan stiemns".inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:22
S16	0	"alan stiemns".inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:23
S17	11	"martin gray".inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:23

S18	0	"christopher sulley".inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:24
S19	181	"macrovision corporation".as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:25
S20	0	S19 and abfusat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:26
S21	4	S19 and obfusat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:26
S22	2	"6591415".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:31
S23	6126787	EP "1349036"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:34

S24	2	"EP 1349036"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:34
S25	2	"20030188187"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:35
S26	0	WO0072112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:38
S27	0	WO0072112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:39
S28	2	"6006328".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:40
S29	2	"4945468".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:42

S30	3	"3614745".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/22 16:44
S31	0	WO2005020068	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/23 09:23
S32	0	GB2004/003560	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/23 09:25
S33	0	obfuscate\$3 near5 source near5 variable\$1 near10 arithmetic	USPAT	OR	OFF	2009/12/23 09:31
S34	2	obfuscate\$3 near5 source near5 variable\$1	USPAT	OR	OFF	2009/12/23 09:32
S35	3	"20040003278"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/23 10:37
S36	1	"6092202".pn.	USPAT	OR	OFF	2009/12/23 16:32
S37	1	"7150012".pn.	USPAT	OR	OFF	2009/12/23 16:39
S38	3	"20040073904"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/23 16:40

S39	2	"6408382".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:02
S40	7	translat\$3 near5 instruction\$ near5 reduce\$ near10 virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:10
S41	2	translat\$3 near5 instruction\$ near5 reduce\$ near10 (virtual adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:15
S42	0	instruction\$ near5 reduce\$ near10 (virtual adj machine) near emulat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:20
S43	61	instruction\$ near5 reduce\$ near10 (virtual adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:20
S44	5	S43 and emulation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:21

S45	2	"7587616".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 10:53
S46	0	("7587616").URPN.	USPAT	OR	OFF	2009/12/24 10:53
S47	2	("6668325" "7430670").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/24 10:54
S48	1	"5903761".PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/24 11:00
S49	0	(encrypt)near10(reduced adj instruction)near10(emulation)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/24 11:05
S50	0	(encrypt\$) near10 (reduced adj instruction) near10 (emulation)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/24 11:06
S51	0	(encrypt\$) near10 (reduced adj instruction) near10 (emulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 11:07
S52	1	translat\$3 near5 (reduce\$ adj instruction\$) near10 virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 11:49
S53	44	(reduce\$ adj instruction\$) near10 virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 11:50
S54	1	S53 and emulation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 11:50

S55	3	S53 and simulation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 11:51
S56	3	"20020194243"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/24 12:14
S57	5	10/723,725	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 09:52
S58	3	bytecode near encrypt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 09:55
S59	32161	emulation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:51
S60	1074	S59 and (reduced adj instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:52

S61	166	S60 and encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:52
S62	1	S61 and obfuscation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:53
S63	1	S61 and obfuscation\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:53
S64	0	S61 and (java adj virtual adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:54
S65	29	S61 and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:55
S66	21	S65 and virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:55

S67	4	\$66 and @py<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/28 15:55
S68	0	obfuscate\$3 near5 object near5 variable\$1 near arithmetic	USPAT	OR	OFF	2009/12/28 17:25
S69	0	obfuscate\$3 near arithmetic near logic\$2	USPAT	OR	OFF	2009/12/28 17:26
S70	0	obfuscate\$3 near arithmetic	USPAT	OR	OFF	2009/12/28 17:26
S71	19274	arithmetic near logic\$2	USPAT	OR	OFF	2009/12/28 17:27
S72	28	encrypt\$3 near arithmetic	USPAT	OR	OFF	2009/12/28 17:27
S73	0	encrypt\$3 near arithmetic near logic\$2	USPAT	OR	OFF	2009/12/28 17:27
S74	1212	S71 and encrypt\$3	USPAT	OR	OFF	2009/12/28 17:30
S75	9	S72 and S71	USPAT	OR	OFF	2009/12/28 17:30
S76	1	"11567948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 15:58
S77	1	"10567948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 15:58

S78	3	WO9901815	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 17:42
S79	0	WO9901815	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 17:50
S80	0	WO/9901815	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 17:51
S81	118	("6668325").URPN.	USPAT	OR	OFF	2010/05/17 17:54
S82	4	"20040086119"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/17 18:00
S83	0	((((obfuscate\$3 or opaque or fuzzy) near5 code) and ((table or index or list near10 (library or stor\$3)) and ((emulator or virtual) near5 compil\$5) and ((function or routin or instruction) near10 operation) and (identi\$6 near5 key)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 11:24
S84	955	726/28.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:03

S85	30	S84 and obfuscate\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:03
S86	0	S85 and umulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:03
S87	1	S85 and emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:03
S88	0	((((obfuscate\$3 or opaque or fuzzy) near5 function) and ((table or index or list) near10 (library or store\$3)) and ((emulator or virtual) near5 compile\$5) and ((function or routine or instruction) near10 operation) and (identify\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:07
S89	5445	((obfuscate\$3 or opaque or fuzzy) near5 function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:07
S90	391	((((obfuscate\$3 or opaque or fuzzy) near5 code) and ((table or index or list) near10 (library or store\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:08

S91	36	(((obfuscate\$3 or opaque or fuzzy) near5 function) and ((table or index or list) near10 (library or store\$3)) and ((function or routine or instruction) near10 operation) and (identifiers\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:08
S92	296	((emulator or virtual) near5 compile\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:09
S93	0	S91 and S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:09
S94	0	(((obfuscate\$3 or opaque or fuzzy) near5 function) and ((table or index or list) near10 (library or store\$3)) and ((emulator or virtual) near5 compile\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:10
S95	0	(((obfuscate\$3 or opaque or fuzzy) near5 function) and ((table or index or list) near10 (library or store\$3)) and ((emulator or virtual) near5 compile\$5) and ((function or routine or instruction) near10 operation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:10
S96	11	S91 and @py<"2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 12:11

S97	0	((obfuscat\$3 or opaque or fuzzy or musk\$3) near5 code) and ((table or index or list) near10 (library or stor\$3)) and ((emulator or virtual) near5 compil\$5) and ((function or routin or instruction) near10 operation) and (identi\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:28
S98	0	((table or index or list) near10 (library or stor\$3)) and ((emulator or virtual) near5 compil\$5) and ((function or routin or instruction) near10 operation) and (identi\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:29
S99	0	((obfuscat\$3 or opaque or fuzzy) near5 code) and ((emulator or virtual) near5 compil\$5) and ((function or routin or instruction) near10 operation) and (identi\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:29
S100	0	((obfuscat\$3 or opaque or fuzzy) near5 code) and ((table or index or list) near10 (library or stor\$3)) and ((emulator or virtual) near5 compil\$5) and (identi\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:30
S101	0	((obfuscat\$3 or opaque or fuzzy) near5 code) and ((table or index or list) near10 (library or stor\$3)) and ((emulator or virtual) near5 compil\$5) and ((function or routin or instruction) near10 operation))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:30
S102	25	((obfuscat\$3 or opaque or fuzzy) near5 code) and ((table or index or list) near10 (library or stor\$3)) and ((function or routin or instruction) near10 operation) and (identi\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:31

S103	23993	"380".clas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:35
S104	4	S103 and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 13:35
S105	0	S103 and (((table or index or list) near10 (library or stor\$3)) and ((emulator or virtual) near5 compil\$5) and ((function or routin or instruction) near10 operation) and (identi\$6 near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:06
S106	51	S89 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:06
S107	33	S90 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:07
S108	0	((((key or identi\$5 or index or pointer) near5 value) and ((retriev\$3 or query or fetch or obtain) near5 information) and ((template or definaton or object or model) near5 (library or storag\$5)) and ((indexed or list or table) near5 key) and (encrypted near5 (instruction\$1 or routine or function or code or variable\$ or name or string)) and (compil\$6 near1 emulator) and (generat\$3 near5 encrypt\$3) and (direct\$2 near execut\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:24

S109	1100	((key or ident\$5 or index or pointer) near5 value) and ((retriev\$3 or query or fetch or obtain) near5 information) and ((template or definition or object or model) near5 (library or storag\$5)) and ((indexed or list or table) near5 key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:25
S110	148	((key or ident\$5 or index or pointer) near5 value) and ((retriev\$3 or query or fetch or obtain) near5 information) and ((template or definition or object or model) near5 (library or storag\$5)) and ((indexed or list or table) near5 key) and (encrypted near5 (instruction\$1 or routine or function or code or variable\$ or name or string)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:25
S111	0	((key or ident\$5 or index or pointer) near5 value) and ((retriev\$3 or query or fetch or obtain) near5 information) and ((template or definition or object or model) near5 (library or storag\$5)) and ((indexed or list or table) near5 key) and (encrypted near5 (instruction\$1 or routine or function or code or variable\$ or name or string)) and (compil\$6 near1 emulator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:26
S112	40	((key or ident\$5 or index or pointer) near5 value) and ((retriev\$3 or query or fetch or obtain) near5 information) and ((template or definition or object or model) near5 (library or storag\$5)) and ((indexed or list or table) near5 key) and (encrypted near5 (instruction\$1 or routine or function or code or variable\$ or name or string)) and (generat\$3 near5 encrypt\$3) and (direct\$2 near execut\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:26
S113	0	S103 and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:27
S114	21	S103 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:27

S115	1	"10978618"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:45
S116	3	"11077637"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 14:50
S117	118	("6668325").URPN.	USPAT	OR	OFF	2010/05/18 14:57
S118	1	((((obfuscate\$3 or opaque or fuzzy) near5 code) and ((table or index or list) near10 (library or store\$3)) and ((emulator or virtual) near5 compile\$5) and ((function or routine or instruction) near10 operation) and (identify\$6 near5 key)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 15:16
S119	0	"ROVI CORPORATION".asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 15:25
S120	19	"macrovision europe limited".asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 15:29
S121	0	S120 and obfuscate\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 15:31

S122	4	S120 and encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 15:31
S123	0	S120 and opaque	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 15:33
S124	1730	717/151,152,153,154,155,156,157,158,159,160,161.ccls.	USPAT	OR	OFF	2010/05/18 16:35
S125	6	S89 and S124	USPAT	OR	OFF	2010/05/18 16:35
S126	0	((((obfuscate\$3 or opaque or fuzzy or hid\$5) near5 function) and ((table or index or list) near10 (library or store\$3)) and ((emulator or virtual) near5 compile\$5) and ((function or routine or instruction) near10 operation) and (identifi\$6 near5 key)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 16:36
S127	119	((((obfuscate\$3 or opaque or fuzzy or hid\$5) near5 function) and ((table or index or list) near10 (library or store\$3)) and ((function or routine or instruction) near10 operation) and (identifi\$6 near5 key)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 16:37
S128	0	S127 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 16:37
S129	6047	726/26,27,28,29,30,31,32,33.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 16:39

S130	1	S127 and S129	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 16:39
S131	61	S127 and @py<"2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/18 17:06
S132	0	obfuscat\$3 near5 variable\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/19 09:11
S133	87	obfuscat\$3 near5 variable\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/19 09:12
S134	19	obfuscat\$3 near variable\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/19 09:12
S135	2	"6643775".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/20 12:40

EAST Search History (Interference)

< This search history is empty >

5/21/2010 10:21:52 AM

C:\Documents and Settings\zchowdhury\My Documents\EAST\Workspaces\Code Obfuscation.wsp